

# INCANDESCENT

all-purpose, decorative and specialty lighting ...

Westinghouse offers a wide range of incandescent lamps to meet decorative, general purpose, low voltage, specialty and rough service applications.





A19 CLEAR ECO-HALOGEN    A19 SOFT WHITE ECO-HALOGEN    A19 FROST ROUGH SERVICE    A19 TOUGHSELL®    A19 FROST LOW VOLTAGE    A19 ORANGE    A19 AMBER    A19 GREEN    A19 BLUE    A19 RED    A19 BUG LIGHT    A19 BLACKLITE

### A19

Energy Used (Watts)	Lamp Base	Item No.	Footnotes	Domestic Code	Volts	Master Carton/ Inner Pack	Pack Type	Finish	Filament Type	Avg. Rated Hours	Light Appearance (Kelvin)	Brightness (Lumens)	Life in Years*	Est. Yearly Energy Cost**	MOL
72	Med.	36835	3	72A19/H/ECO 2PK	120	30/6	Box(2)	Clear	CC8	1000	3000	1490	0.9	\$8.67	4.25"
	Med.	36801	3	72A19/H/SW/ECO 2PK	120	30/6	Box(2)	Soft White	CC8	1000	3000	1490	0.9	\$8.67	4.25"
75	Med.	03953	9	75A/F/RS	120	36/6	Box	Frost	C11	1000	2700	800	0.9	\$9.03	4.25"
	Med.	03976	1,9	75A/F/RS 2PK	120	120/24	Box(2)	Frost	C11	1000	2700	800	0.9	\$9.03	4.25"
	Med.	04403		75A/TS/130	130	36/6	Box	Toughshell®	CC6	4000	2700	716	3.6	\$9.03	4.13"
100	Med.	03954	9	100A/F/RS	120	36/6	Box	Frost	C11	1000	2700	1190	0.9	\$12.05	4.25"
	Med.	03969	1,9	100A/F/RS 2PK	120	120/24	Box(2)	Frost	C11	1000	2700	1190	0.9	\$12.05	4.25"
	Med.	03951		100A/TS/130	130	36/6	Box	Toughshell®	CC6	4000	2700	860	3.6	\$12.05	4.13"

### A19 SPECIALTY

Energy Used (Watts)	Lamp Base	Item No.	Footnotes	Domestic Code	Volts	Master Carton/ Inner Pack	Pack Type	Finish	Filament Type	Avg. Rated Hours	Brightness (Lumens)	Life in Years*	Est. Yearly Energy Cost**	MOL
25	Med.	03422		25A/F/12V	12	36/6	Box	Frost	C6	2500	250	2.2	\$3.01	4.13"
	Med.	03949	1	25A/O	120	36/6	Box	Orange	C9	2500	-	2.2	\$3.01	4.13"
	Med.	03443		25A/TA	120	36/6	Box	Transparent Amber	C9	2500	-	2.2	\$3.01	4.13"
	Med.	03444		25A/TG	120	36/6	Box	Transparent Green	C9	2500	-	2.2	\$3.01	4.13"
	Med.	03445		25A/TB	120	36/6	Box	Transparent Blue	C9	2500	-	2.2	\$3.01	4.13"
	Med.	03446		25A/TR	120	36/6	Box	Transparent Red	C9	2500	-	2.2	\$3.01	4.13"
50	Med.	03423		50A/F/12V	12	36/6	Box	Frost	C6	2500	548	2.2	\$6.02	4.13"
60	Med.	03452		60A/Y 2PK	120	120/24	Box(2)	Yellow Bug Light	C9	1000	-	0.9	\$7.23	4.13"
75	Med.	03920	2	75A/BL	120	36/6	Box	Blacklite	C9	480	-	0.4	\$9.03	4.25"

\* Based on 3 hrs./day

\*\* Based on 3 hrs./day 11¢/kWh — Cost depends on rates and use.

**Footnotes**

- 1 New Item
  - 2 Canadian Standards Association
  - 3 Eco-Halogen Energy-Saving Technology
- [www.westinghouselighting.com](http://www.westinghouselighting.com)

- 4 Commercial Service\*
- 5 Fan
- 6 Non-Stick Base

- 7 Krypton(KR)
- 8 Vibration Resistant lamps are designed for vibration service only.
- 9 Rough Service lamps are designed for rough service applications.



A19 CLEAR  
ECO-HALOGEN



A19 SOFT WHITE  
ECO-HALOGEN



F15  
CLEAR



B11  
CLEAR



SL19  
CUT GLASS



G25  
CUT GLASS



T10  
CLEAR



BT15  
CLEAR



BT15  
SOFT WHITE

### ECO-HALOGEN A SHAPE

Energy Used (Watts)	Lamp Base	Item No.	Footnotes	Domestic Code	Volts	Master Carton/Inner Pack	Pack Type	Finish	Filament Type	Light Appearance (Kelvin)	Brightness (Lumens)	Avg. Rated Hours	Life in Years*	Est. Yearly Energy Cost**	MOL
29	Med.	36831	4	29A19/H/ECO 2PK	120	30/6	Box(2)	Clear	CC8	3000	430	1000	0.9	\$3.49	4.25"
	Med.	36830	4	29A19/H/SW/ECO 2PK	120	30/6	Box(2)	Soft White	CC8	3000	430	1000	0.9	\$3.49	4.25"
43	Med.	36832	4	43A19/H/ECO 2PK	120	30/6	Box(2)	Clear	CC8	3000	760	1000	0.9	\$5.06	4.25"
	Med.	36800	4	43A19/H/SW/ECO 2PK	120	30/6	Box(2)	Soft White	CC8	3000	760	1000	0.9	\$5.06	4.25"
53	Med.	36834	4	53A19/H/ECO 2PK	120	30/6	Box(2)	Clear	CC8	3000	1050	1000	0.9	\$6.38	4.25"
	Med.	36833	4	53A19/H/SW/ECO 2PK	120	30/6	Box(2)	Soft White	CC8	3000	1050	1000	0.9	\$6.38	4.25"
72	Med.	36835	4	72A19/H/ECO 2PK	120	30/6	Box(2)	Clear	CC8	3000	1490	1000	0.9	\$8.67	4.25"
	Med.	36801	4	72A19/H/SW/ECO 2PK	120	30/6	Box(2)	Soft White	CC8	3000	1490	1000	0.9	\$8.67	4.25"

### SPECIALTY AND DECORATIVE

Energy Used (Watts)	Lamp Base	Item No.	Footnotes	Domestic Code	Volts	Master Carton/Inner Pack	Pack Type	Finish	Filament Type	Light Appearance (Kelvin)	Brightness (Lumens)	Avg. Rated Hours	Life in Years*	Est. Yearly Energy Cost**	MOL
F15															
43	Med.	05016	1,4	43F15/H/ECO	120	36/6	Card	Clear	CC8	2900	750	1000	0.9	\$5.18	4.8"
B11															
40	Cand.	04029		40B11/H/FAN/CB 2CD	120	60/10	Card(2)	Clear	CC8	2800	460	2000	1.8	\$4.82	3.75"
SL19															
43	Med.	05018	1,4	43SL19/H/CG/ECO	120	36/6	Box	Cut Glass	CC8	2900	750	1000	0.9	\$5.18	4.92"
G25															
40	Med.	05017	1,4	40G25/H/CG/ECO	120	36/6	Box	Cut Glass	CC8	2850	520	2000	1.8	\$4.82	4.65"
T10															
40	Med.	04834		40T10/H	120	24/4	Card	Clear	CC8	2700	520	2250	2	\$4.82	5.25"
BT15															
43	Med.	05013	1,4	43BT15/H/ECO	120	36/6	Card	Clear	CC8	2900	750	1000	0.9	\$5.18	4.13"
	Med.	05012	1,4	43BT15/H/SW/ECO	120	36/6	Card	Soft White	CC8	2900	750	1000	0.9	\$5.18	4.13"

\* Based on 3 hrs./day    \*\* Based on 3 hrs./day 11¢/kWh — Cost depends on rates and use.

**Footnotes**

- 1 New Item
- 2 Clear Lens
- 3 Frost Lens

- 4 Eco-Halogen Energy-Saving Technology
- 5 Rough Service
- 6 Canadian Standards Association

- 7 Krypton(K) / Xenon(X)
- 8 Long Neck